



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/763,634	01/23/2004	Andrew Halliday	67637	7742
48940	7590	11/02/2005	EXAMINER	
KRAFT / FETF 120 S. LASALLE STREET SUITE 1600 CHICAGO, IL 60603-3406			CARTAGENA, MELVIN A	
			ART UNIT	PAPER NUMBER
			3754	

DATE MAILED: 11/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

e

Office Action Summary	Application No. 10/763,634	Applicant(s) HALLIDAY ET AL.	
	Examiner Melvin A. Cartagena	Art Unit 3754	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>10272004</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-6 are rejected under 35 U.S.C. 102(b) as being anticipated by US 5,826,492 to Fond et al.

Fond shows a closure mechanism for a beverage preparation machine as seen in Fig. 11, having a fixed lower part 70, a upper part 75 rotatable relative to the lower part about pivot 71 between a close and open position, see column 12, lines 26-28, a cartridge holder 76 interposed between the upper and the lower parts and being rotatable relative to the upper and lower part about pivot 77, see column 12, lines 41-42, inlet piercing means 64 and outlet piercing means 65 located in the lower part to pierce a cartridge 58, see Fig. 10.

In reference to claims 3 and 4:

In the open position the upper part is substantially vertical and the in the close position the upper part is substantially horizontal.

In reference to claims 5 and 6:

The holder 76 has a recess 78 to accommodate the cartridge and irregularities 79 to support the cartridge, see column 12, lines 31-33 and Fig. 11.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5,826,492 to Fond et al. in view of US 6,499,388 to Schmed.

Fond shows all claimed features as discussed above except for the cartridge holder being biased relative to the lower part to disengage the piercing means. Schmed shows a coffee-brewing machine as seen in Figs. 2 and 3 having a cartridge holder biased by biasing element 4 keeping the cartridge from the piercing elements 8, see Fig. 1. It would have been obvious to a person with ordinary skill in the art at the time the invention was made to modify the device of Fond to include a biasing element for the cartridge as taught by Schmed to allow the user to obtain a fresh brew drink by keep a sealed cartridge in the brewing machine, away from the piercing elements, until the drink is ready to be brew.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin A. Cartagena whose telephone number is (571) 272-4924. The examiner can normally be reached on M-F (7:30AM to 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y. Mar can be reached on (571) 272-4906. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3754

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAC w/20/05
MAC



MICHAEL MAR
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700